

Personal Email Manager User Help

Forcepoint[™] Email Security

v8.4.x

©2017 Forcepoint. Forcepoint and the FORCEPOINT logo are trademarks of Forcepoint. Raytheon is a registered trademark of Raytheon Company. All other trademarks used in this document are the property of their respective owners. Published 2017

This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form without prior consent in writing from Forcepoint. Every effort has been made to ensure the accuracy of this manual. However, Forcepoint makes no warranties with respect to this documentation and disclaims any implied warranties of merchantability and fitness for a particular purpose. Forcepoint shall not be liable for any error or for incidental or consequential damages in connection with the furnishing, performance, or use of this manual or the examples herein. The information in this documentation is subject to change without notice.

Contents

Topic 1	Overview	1
	What is Personal Email Manager?	1
	Personal Email Manager Help overview	2
Topic 2	Working with Notification Messages	5
	Notification message format.	5
	Notification message actions	5
	Deliver	6
	Delete	6
	Not Spam	6
	Always Block	6
	Always Permit	7
Торіс З	Working with Quarantined Messages	9
	Logging in	9
	Using the Quarantined Messages List	10
	Managing quarantined messages	
	Managing the Always Block and Always Permit lists	14
	Adding an Always Block or Always Permit list entry	
	Removing an Always Block or Always Permit list entry	
	Managing user accounts	

Overview

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

Welcome to Forcepoint[™] Personal Email Manager! Personal Email Manager is a tool that allows you to manage email that has been blocked by Forcepoint Email Security. The email security software analyzes your email to protect you and your organization from malicious threats. Email that triggers a policy may be delivered, deleted, or blocked and isolated in a message queue, awaiting further action.

Occasionally blocked email may actually be safe to deliver. Personal Email Manager notifies you of blocked email and provides you the means to manage it, either by permitting the mail delivery or blocking a message from reaching your inbox.

What is Personal Email Manager?

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

Personal Email Manager performs the following core activities:

- Sends notification email when 1 or more messages sent to you have been blocked.
- Allows you to manage your blocked email, either from the notification message or in the Quarantined Messages List.
- Lets you manage your personal Always Permit and Always Block lists, which allow you to specify email addresses from which email is either always permitted or always blocked.
- Allows you to manage blocked mail for multiple email alias accounts.
- Lets you delegate your blocked message management to another individual.

The interactive Personal Email Manager facility provides a convenient means for managing the accumulated blocked inbound email in all your email accounts, as well as for maintaining your Always Permit and Always Block lists. Among other Personal Email Manager activities, you can:

- View a list of all blocked inbound email.
- View blocked email content.
- Request to receive 1 or more blocked email messages.
- Elect to delete 1 or more blocked email messages.

- Manage addresses in the Always Permit and Always Block lists.
- View the Personal Email Manager user online Help.
- Forward 1 or more blocked messages to another recipient.
- Designate another individual to manage your blocked email.

Your ability to perform some of these actions may depend on the permissions granted by your Personal Email Manager administrator. For example, you may not be allowed to have a quarantined message delivered to your inbox or to add an email address to your Always Permit List. Contact your administrator for more information about these permissions.

Personal Email Manager Help overview

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

Personal Email Manager online Help covers the following topics:

- Notification email messages, including their format and available options for managing blocked email (see *Working with Notification Messages*, page 5)
- The Quarantined Messages List, including a description of list components and possible message actions (see *Using the Quarantined Messages List*, page 10)
- The Always Block and Always Permit lists, including how to add and remove email addresses from the lists (see *Managing the Always Block and Always Permit lists*, page 14)
- User account management, including account management delegation options (see *Managing user accounts*, page 15)

The **Help** button on the Personal Email Manager banner has 2 options for displaying detailed information about using the product.

Important

Default Microsoft Internet Explorer settings may block operation of the Help system. If a security alert appears, select **Allow Blocked Content** to display Help.

If your organization's security standards permit, you can permanently disable the warning message on the Advanced tab of the **Tools > Internet Options** interface. (Check **Allow active content to run in files on My Computer** under Security options.)

Explain This Page opens the Help system to the topic that describes the currently opened Personal Email Manager page and provides any needed operation procedures.

Select **Help Contents** to open the complete Personal Email Manager embedded Help system. To find a Help topic in the Help viewer, select one of the following tabs:

• Contents

Click a book icon to expand that book.

Click a table of contents entry to display the corresponding topic.

• Search

Enter a search keyword or phrase and click Go.

Click an entry of the results list to display the corresponding topic.

About Personal Email Manager displays product build information.

Working with Notification Messages

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

At regular intervals, Personal Email Manager sends you a notification email message that itemizes new blocked email. The notification interval is set by your Personal Email Manager administrator.

To review blocked email, open the notification message. This message contains a summary of messages blocked since your last notification, up to the maximum number specified by your administrator. You can perform some operations on your blocked mail directly from the notification message.

The notification message also includes a link to the Personal Email Manager tool, where additional operations are available. See *Working with Quarantined Messages*, page 9, for more information.

Notification message format

A Personal Email Manager notification message contains a table with the following columns of information about your blocked mail:

- Sender email address. Only the first 25 characters of the email address are displayed.
- Message subject. Click the link to open the Message Details screen.
- Date/time of message receipt
- Possible actions for blocked email, including Deliver, Delete, Not Spam, Always Block, and Always Permit. The options available depend on the permissions defined by your Personal Email Manager administrator.

Notification message actions

The notification message Actions column includes operations that can be performed on a selected message. The activities you are allowed to perform in the message depend on how your administrator configured your notification message. You can perform the following Personal Email Manager operations on blocked email directly from the notification message:

- Deliver
- Delete
- Not Spam
- Always Block
- Always Permit

Note

Your administrator may not give you permission to perform one or more of these actions. Any action you are not allowed to perform is not available in the notification. Contact your Personal Email Manager administrator for information about your permissions level.

Deliver

If you determine that a message is safe to deliver, click **Deliver** for that message. The message is released from the quarantine queue.

Depending on how your Personal Email Manager administrator configured your quarantined message delivery options, the email may either be:

- Delivered directly to your inbox, or
- Returned to message processing for analysis by all subsequent filters. The message may not be delivered if it triggers another filter and is dropped or quarantined.

Delete

If you determine that a message is likely spam, select the message and click **Delete** to remove the message from your blocked message queue.

Not Spam

If you want to report that a message should not be classified as spam, select the message and click **Not Spam**. The message is forwarded to Forcepoint for possible reclassification and delivered to your inbox.

Always Block

If you want all future deliveries from a particular email address blocked, select the message in question and click **Always Block** to add the email address.

Always Permit

If you want the delivery of mail from a particular address allowed at all times, select the message and click **Always Permit** to add the email address to the list.

Working with Quarantined Messages

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

The Personal Email Manager facility includes 4 main screens in which you can manage your account. The Quarantined Messages page lists all blocked messages for your account. You can process blocked mail using the various screen operations on this page.

If authorized, you can also manage personal Always Block and Always Permit lists. Mail from an address in the Always Block List is not delivered to your inbox, whereas mail from an address in the Always Permit List bypasses spam, URL analysis, and commercial bulk email analysis. When an email address appears on both the Always Block and Always Permit lists, the Always Permit List takes precedence.

The User Account Access page lets you delegate the management of your blocked email to another individual.

Select the language in which you want Personal Email Manager to display from the **Language** drop-down list.

The time zone for your Personal Email Manager appliance appears to the left of the Language drop-down list.

Logging in

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

To log into Personal Email Manager, click the link at the bottom of your notification email. Authentication is required.

If you have bookmarked the Personal Email Manager page, open your browser and select the link from your list of Favorites. Log in using your email address.

Using the Quarantined Messages List

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

The Quarantined Messages List contains all the messages that have been blocked from delivery to your inbox, including all mail sent to any alias accounts you have. Messages are sorted by the date received, beginning with the most recently delivered mail.

If you are allowed to manage another user's email account, the **View user account** drop-down list includes your primary email address account and any accounts to which you have been delegated access. Select the email account you want to display and manage in this list. Blocked messages from your alias accounts are displayed when you select your primary email account. The drop-down list does not appear if you are not allowed to manage another user's account.

In addition to the date/time a message was received, message information in the list includes the sender email address, message subject, message size, and message type (virus, spam, exception, commercial bulk, exception commercial bulk, phishing, spoofed email, URL analysis, advanced malware detection, email attachment, encryption error, or decryption error). Message information also includes 1 of the following reasons a message is quarantined:

- Antivirus filter
- Email hybrid service
- URL analysis filter (including the URL category that triggered the filter)
- Bounce address tag validation
- Digital fingerprinting antispam tool
- LexiRules antispam tool
- Heuristics antispam tool
- Commercial bulk email filter
- Custom content filter
- Block List (Personal Email Manager Always Block List entry)
- Archive feature (a Settings > Inbound/Outbound > Message Control setting)
- Data loss prevention
- Exception (message exception)
- Advanced Malware Detection
- Spoofed email filter tool:
 - Sender address comparison
 - Sender authentication analysis condition name
 - Sender ID analysis
- Email attachment filter

Use the **View from/to** fields at the top of the page to specify the date/time range for the log entries you want to see. The calendar includes the following options:

- Change the month and year by using the back and next arrows around the month and year at the top of the calendar.
- Set the calendar to the current date by clicking the date in the lower left corner of the calendar.
- Click **Today** to set the calendar date to today's date.
- Click Clean to clear the current date/time calendar selection.

Set the time range in hours and minutes in the entry fields to the right of the calendar.

You can configure how many messages appear on a page by changing the value in the **View** drop-down list in the upper right area of the screen.

If you want to know which messages you have already opened, click **Read** in the Select field. The check box next to any message you have previously opened is marked. Similarly, if you want to know which messages you have not yet opened, click **Unread** to mark the check boxes next to those messages.

Select an individual message by marking the check box next to that message. Select all messages in the list by marking the check box in the far left table column heading area.

A **Search** function allows you to perform a keyword search on your entire message list. You can also search email senders or subjects.

Action	Description
Deliver	Release the message from the quarantine queue.
	Depending on how your Personal Email Manager administrator configured your quarantined message delivery options, the message may either be:
	• Delivered directly to your inbox, or
	• Returned to message processing for analysis by all subsequent filters. The message may not be delivered if it triggers another filter and is dropped or quarantined.
Delete	Delete the undelivered message from the Quarantined Messages List.
Not Spam	Report that the message should not be classified as spam and release the message for delivery to your inbox. This option is available only when spam messages are selected in the Quarantined Messages List.
	The message is also forwarded to Forcepoint for possible reclassification.
Refresh	Refresh the message list with the messages quarantined since you opened the list.
	You can also click Refresh to fill the Quarantined Messages List page to its maximum configured size. Perform this action if you have removed some messages from the current page (e.g., via Deliver, Delete, or Not Spam operations) and you have more than 1 page of quarantined messages.

Selected message actions available on the Quarantined Messages List page may include the following:

Action	Description		
More Actions:			
Add to Always Block List	If this option is enabled, add the sender email address to your Always Block List. This option is not available if your administrator has not authorized you to manage your personal Always Block List.		
Add to Always Permit List	If this option is enabled, add the sender email address to your Always Permit List. This option is not available if your administrator has not authorized you to manage your personal Always Permit List.		
Forward	Forward the selected message or messages to at least 1 other recipient. Enter your recipients, separated by semicolons, in the Forward Message dialog box (up to 319 characters).		
Download	Download the message to a desired file location.		
Clear all messages	Remove all messages from the Quarantined Messages List.		

Your administrator may not give you permission to perform one or more of these actions. Any action you are not allowed to perform is not available on the Quarantined Messages List page. Contact your Personal Email Manager administrator for information about your permissions level.

Managing quarantined messages

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

You can view a message in the Quarantined Messages List by clicking the message subject in the Subject column. This opens the message details View Message page for the selected message.

You can click **Back** to return to the Quarantined Messages List at any time. You can also view other messages in the list by clicking **Previous** (to see the previous message in the list) or **Next** (for the next message in the list).

Field	Description
Sender	Sender email address
Recipient	Recipient email address
From	User name associated with the sender email address
То	User name associated with the recipient email address
Date	Date the message is received
Policy	Policy or policies applied to the message

Message details include the following information:

Field	Description
Message type	Identifies the message type (spam, virus, exception, commercial bulk, advanced malware detection, data loss prevention, URL analysis, spoofed email, email attachment, phishing, encryption error, or decryption error). This field may be blank if the message type is undefined.
Header	Click Show headers to display the message headers added to the message.
Attachment	File name of any message attachment
Subject	Subject of the message

Message content appears below this message detail information.

Message actions available on the View Message page may include the following, depending on the permissions granted by your Personal Email Manager administrator:

Action	Description
Deliver	Release the message from the quarantine queue.
	The message may either be:
	• Delivered directly to your inbox, or
	• Returned to message processing for analysis by all subsequent filters. The message may not be delivered if it triggers another filter and is dropped or quarantined.
Delete	Delete the undelivered message from the Quarantined Messages List.
Not Spam	Report that the message should not be classified as spam and release the message for delivery to your inbox. This option is available only when the message being viewed is quarantined as spam.
	The message is also forwarded to Forcepoint for possible reclassification.
More Actions	
Add to Always Block List	If this option is enabled, add the sender email address to your Always Block List. This option is not available if your administrator has not authorized you to manage your personal Always Block List.
Add to Always Permit List	If this option is enabled, add the sender email address to your Always Permit List. This option is not available if your administrator has not authorized you to manage your personal Always Permit List.
Forward	Forward the selected message or messages to at least 1 other recipient. Enter your recipients, separated by semicolons, in the Forward Message dialog box (up to 319 characters).
Download	Download the message to a desired file location.

Action	Description
View Text Format	View the message content in plain text format.
View HTML Format	View the message content in HTML format.

Managing the Always Block and Always Permit lists

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

If authorized by your administrator, you can manage your personal Always Block and Always Permit lists. A message from an email address in the Always Block List is considered spam and is not delivered to your inbox. Mail from an address in the Always Permit List bypasses spam, URL, and commercial bulk email analysis on its way to your inbox. Mail from an address that appears in both lists is always permitted.

Adding an Always Block or Always Permit list entry

As mentioned earlier, you can add an email address to either the Always Block or Always Permit list from the notification message or from the Quarantined Messages List. You can also enter the address directly into the Always Block or Always Permit list.

Use the following procedure to add an email address directly to the Always Block or Always Permit List:

- 1. In the left pane menu, click the **Always Block** or **Always Permit** list, depending on which list you want to modify.
- 2. Enter the desired address in the Email address field.

You may use the asterisk symbol (*) to indicate wildcard entries.

- 3. Click the arrow to the right of the **Email address** field to add the entry to the Email Address List. A counter indicates the number of addresses in your list.
- 4. Click **OK** to save your list.

You can perform a keyword search on your list by entering text in the Email Address List search field and clicking **Search**.

Removing an Always Block or Always Permit list entry

Remove an email address from your list by selecting it in the Email Address List and clicking **Remove**.

Managing user accounts

Personal Email Manager User Help | Forcepoint Email Security | Version 8.4.x

You can designate at least 1 other individual, or agent, to access and manage your blocked messages in Personal Email Manager. Use the following steps to add a delegated agent:

- 1. In the left pane menu, click User Account Access to open the User Account Access page.
- 2. Click **Add** in the Account Email Address box to open the Add User Account Access dialog box.
- 3. Enter the email address of the individual you want to manage your blocked email in the Access account email address field.
- 4. Click **OK**. The email address appears in the Account Email Address box.
- 5. Repeat steps 2 4 to add other delegate accounts as needed.

When any user listed in your Account Email Address list logs in to Personal Email Manager, your email account appears in their Quarantined Messages List **View user account** drop-down list. To manage your blocked email, your delegate selects your account from this list to display your Quarantined Messages List.



Important

This user account function may not be available to you if it is not enabled for you by your Personal Email Manager administrator.