

Hotfixes for OpenSSL Man-in-the-Middle (MITM) Vulnerability CVE-2014-0224 Updated: 18-June-2014

Version	Product	ID	HF#	HF Details	Posted	Comments
7.8.3	Email Security Gateway	EI-1081		7.8.3 RPM supporting Appliance Manager install	16-Jun	Next: Virtual appliance files
7.8.2	Email Security Gateway	EI-1081		7.8.2 RPM supporting Appliance Manager install	16-Jun	Nest: Virtual appliance files
7.8.0	Email Security Gateway	EI-1081		7.8.1 RPM supporting Appliance Manager install	16-Jun	Next: Virtual appliance files
7.7.3	Email Security Gateway	EI-1081		7.7.3 binary patch only for manual backend install	16-Jun	
7.8.1	Content Gateway	EI-1091	HF 08	RPM supporting Appliance Manager install; tarball for manual installation	12-Jun	Proxy component for Web Security Gateway
7.8.2	Content Gateway	EI-1092	HF 06	RPM supporting Appliance Manager install; tarball for manual installation		In testing
7.8.3	Content Gateway	EI-1093	HF 02	RPM supporting Appliance Manager install; tarball for manual installation		In testing
7.2.0	Email Security (WES)					In testing
7.3.0	Email Security (WES)					In testing
7.8.1	V-Series	EI-1107	HF 02	This HF will be installed from Appliance manager		In testing
7.8.2	V-Series	EI-1108	HF 02	This HF will be installed from Appliance manager		In testing

Version	Product	ID	HF#	HF Details	Posted	Comments
7.8.3	V-Series	EI-1109		This HF will be installed from Appliance Manager		In progress
7.8.3	X-Series	EI-1109		Manually install on blade servers		
7.8.1	Web Security	EI-1102	HF 07	Installation scripts for Linux and Windows RPM can be applied from Appliance manager		In testing
7.8.2	Web Security	EI-1103	HF 10	Installation scripts for Linux and Windows RPM can be applied from Appliance manager		In progress
7.8.3	Web Security	EI-1104	HF 01	Installation scripts for Linux and Windows RPM can be applied from Appliance manager		In progress
7.7.0	Content Gateway	EI-1095	HF 14	RPM supporting Appliance Manager install; tarball for manual installation		In testing. Proxy component for Web Security Gateway
7.7.3	Content Gateway	EI-1094	HF 16	RPM supporting Appliance Manager install; tarball for manual installation		In testing. Proxy component for Web Security Gateway
7.6.5	V-Series					
7.7.0	V-Series	EI-1110				
7.7.3	V-Series	EI-1111				
7.7.0	Web Security	EI-1106		Installation scripts for Linux and Windows RPM can be applied from Appliance manager		In progress
7.7.3	Web Security	EI-1105		Installation scripts for Linux and Windows RPM can be applied from Appliance manager		In progress

Product	ID	HF#	HF Details	Posted	Comments
Web Security					
Content Gateway					Proxy component for Web Security Gateway
V-Series					
Content Gateway					Proxy component for Web Security Gateway
Web Security					
TRITON Infrastructure					
X-Series	EI-1108				
TRITON Infrastructure					
TRITON Infrastructure					
	Web Security Content Gateway V-Series Content Gateway Web Security TRITON Infrastructure X-Series TRITON Infrastructure TRITON	Web Security Content Gateway V-Series Content Gateway Web Security TRITON Infrastructure X-Series TRITON Infrastructure TRITON	Web Security  Content Gateway  V-Series  Content Gateway  Web Security TRITON Infrastructure X-Series TRITON Infrastructure TRITON	Web Security  Content Gateway  V-Series  Content Gateway  Web Security TRITON Infrastructure X-Series TRITON Infrastructure TRITON	Web Security  Content Gateway  V-Series  Content Gateway  Web Security TRITON Infrastructure X-Series EI-1108 TRITON Infrastructure TRITON