



TRITON Unified Security Center Help

Websense® TRITON Unified Security Center

v7.7

©2011-2012, Websense Inc.
All rights reserved.
10240 Sorrento Valley Rd., San Diego, CA 92121, USA

Published 2012

Printed in the United States of America and Ireland.

The products and/or methods of use described in this document are covered by U.S. Patent Numbers 6,606,659 and 6,947,985 and other patents pending.

This document may not, in whole or in part, be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form without prior consent in writing from Websense Inc.

Every effort has been made to ensure the accuracy of this manual. However, Websense Inc., makes no warranties with respect to this documentation and disclaims any implied warranties of merchantability and fitness for a particular purpose. Websense Inc. shall not be liable for any error or for incidental or consequential damages in connection with the furnishing, performance, or use of this manual or the examples herein. The information in this documentation is subject to change without notice.

Trademarks

Websense, the Websense Logo, Threatseeker and the YES! Logo are registered trademarks of Websense, Inc. in the United States and/or other countries. Websense has numerous other unregistered trademarks in the United States and internationally. All other trademarks are the property of their respective owners.

Contents

Topic 1	Getting Started	1
	Logging on to the TRITON console.	2
	Logging on with two-factor authentication.	3
	Security certificate alerts.	4
	TRITON console session time outs.	5
	Managing your account through the MyWebsense Portal	7
	Websense technical support	7
Topic 2	Configuring TRITON Settings	9
	Viewing your account information.	10
	Setting user directory information	10
	Introducing administrators	13
	Global Security Administrator	13
	TRITON administrators	14
	Enabling access to the TRITON console	15
	Adding a local account	16
	Adding a network account.	18
	Editing a local account	20
	Editing a network account.	22
	Setting email notifications	23
	Configuring certificate authentication	25
	How does certificate authentication work?.	26
	Setting up attribute matching	27
	Audit log.	28
Topic 3	Accessing Appliances	29
	Managing appliances	29
	Registering an appliance	30
	Editing appliance details	31
	Configuring an existing appliance for single sign-on	32
Topic 4	Backup and Restore of TRITON Data	33
	Scheduling TRITON infrastructure backups	34
	Running immediate backups	35
	Restoring TRITON infrastructure backup data	35
	Changing backup settings.	36
	Synchronizing TRITON infrastructure and TRITON - Web Security backups.	37

1

Getting Started

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

The TRITON Unified Security Center is a browser-based console that provides a central, graphical interface to the general configuration, policy management, and reporting functions of your Websense security software.

The TRITON console includes one or more of the following modules, depending on your subscription:

- ◆ **TRITON - Web Security** works in conjunction with integration devices (including proxy servers, firewalls, routers, and caching appliances) and enables you to develop, monitor, and enforce Internet access policies.
- ◆ **TRITON - Data Security** protects organizations from information leaks and data loss both at the perimeter and inside the organization.
- ◆ **TRITON - Email Security** protects your organization against the threats of malware, spam, and other unwanted content in email traffic.

If your subscription includes TRITON Mobile Security, the TRITON console also provides a link to the Mobile Security portal: a cloud-based console used to manage threat protection and data loss prevention for mobile devices.

To learn to use the TRITON console, browse this guide or use select one of the following topics as a launch point.

First steps	Manage administrators
<ul style="list-style-type: none">◆ <i>Logging on to the TRITON console</i>◆ <i>Navigating in the TRITON console</i>◆ <i>Managing your account through the MyWebsense Portal</i>◆ <i>Viewing your account information</i>	<ul style="list-style-type: none">◆ <i>Introducing administrators</i>◆ <i>Setting user directory information</i>◆ <i>Enabling access to the TRITON console</i>◆ <i>Setting email notifications</i>
Other administrator tasks	Backup and restore
<ul style="list-style-type: none">◆ <i>Configuring certificate authentication</i>◆ <i>Audit log</i>◆ <i>Managing appliances</i>	<ul style="list-style-type: none">◆ <i>Scheduling TRITON infrastructure backups</i>◆ <i>Restoring TRITON infrastructure backup data</i>

Logging on to the TRITON console

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Related topics:

- ◆ [Logging on with two-factor authentication, page 3](#)
- ◆ [Security certificate alerts, page 4](#)
- ◆ [TRITON console session time outs, page 5](#)

The TRITON console is the central configuration interface used to manage software configuration and settings for your Websense software modules. This Web-based tool runs on the following supported browsers:

- ◆ Microsoft Internet Explorer 8 and 9



Note

If you are using Internet Explorer, make sure Enhanced Security Configuration is switched off.

Also, if you are using Internet Explorer 8, Compatibility View is not supported.

- ◆ Mozilla Firefox 4.x and later
- ◆ Google Chrome 13 and later

Although it is possible to launch the TRITON console using some other browsers, use the supported browsers to receive full functionality and proper display of the application.



Note

Some animations in the TRITON console depend on the browser settings. In Internet Explorer, select the **Tools > Internet Options > Advanced > Multimedia > Play animation in webpages** option to ensure animations display properly.

To launch the TRITON console, do one of the following:

- ◆ On Windows machines, go to **Start > Programs > Websense**, and then select **TRITON Unified Security Center**.
- ◆ Double-click the TRITON Unified Security Center shortcut placed on the desktop during installation.
- ◆ Open a supported browser on any machine in your network and enter the following:

`https://<IP_address_or_hostname>:9443/triton/`

Substitute the IP address or hostname of the TRITON machine. It is recommended that you use the IP address, especially when launching the TRITON console from a remote machine.

After installation, the default user, **admin**, has full administrative access to all modules of the TRITON console. The account cannot be deleted, and the user name cannot be changed. The admin password is configured during installation.

At the logon page, enter your **User name** and **Password**, then click **Log On**. If your organization is using two-factor authentication, see [Logging on with two-factor authentication](#), page 3.

**Note**

If you are using a local user name created in the TRITON console and that user name and password match a network account user name and password, the local account takes precedence.

If you are unable to connect to the TRITON console from a remote machine, make sure that your firewall allows communication on that port.

Windows 7 considerations

If you are using the Windows 7 operating system, you may need to run the browser as administrator for it to allow ActiveX controls.

1. Right-click the browser application and select **Run as administrator**.
2. Log on to the TRITON console and accept the security certificate as described above.

Adobe Flash Player

Adobe Flash Player v8 or beyond is required for the Data Security, Web Security, and Email Security dashboards. All the other functions of the TRITON console can operate without Flash. If you do not already have Flash Player, you are prompted to install it when you log on. Click the link that is supplied and download Flash Player from the Adobe download center.

Logging on with two-factor authentication

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

If you are using two-factor authentication, you do not usually see the logon page. Instead, when you access the TRITON console URL:

1. The console detects whether a client certificate is installed.
2. You provide your two-factor authentication credentials as defined by your organization.

3. After successful authentication, the TRITON console receives the client certificate and checks that it matches the signature in the uploaded root CA certificates.
4. If the signature matches, the TRITON console checks for a full match with the certificates that you have either uploaded to the TRITON console, or imported from your user directory.
5. If a match is found, you are logged on to the console.

If no certificate match is found, the logon process depends on the fallback options that have been set up:

- ◆ Attribute matching checks if the client certificate contains a property matching a specific LDAP attribute in your user directory.
- ◆ Password authentication can be enabled in case certificate matching and attribute matching fails.

If neither of these options is available, you cannot log on without a matching certificate.

If all of your administrator accounts are configured to use two-factor authentication, and you encounter an issue where your administrators do not have client certificates or certificate matching is failing, you can still log on to the TRITON console as follows:

1. Open a browser on the TRITON Management Server machine. You can access the machine using a Remote Desktop Connection.
2. Go to the URL <https://127.0.0.1:9443/triton> (or <https://localhost:9443/triton>).
3. Log on using the **admin** user name and password.

You can then configure your two-factor authentication options to provide a fallback for your other administrators. See *Configuring certificate authentication*, page 25.

Security certificate alerts

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

An SSL connection is used for secure, browser-based communication with the TRITON console. This connection uses a security certificate issued by Websense, Inc. Because the supported browsers do not recognize Websense, Inc., as a known Certificate Authority, a certificate error is displayed the first time you launch the TRITON console from a new browser. To avoid seeing this error, you can install or permanently accept the certificate within the browser. See the [Websense Technical Library](#) for instructions.

Once the security certificate has been accepted, the TRITON Unified Security Center logon page is displayed in the browser window.

**Note**

If you are using Internet Explorer, the certificate error will still be present after you accept the certificate. You must close and reopen your browser to remove the error message.

TRITON console session time outs

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

A TRITON console session ends 30 minutes after the last action taken in the user interface (clicking from page to page, entering information, caching changes, or saving changes). A warning message is displayed 5 minutes before session end.


- ◆ If there are uncached or unsaved changes, the changes are lost when the session ends. Remember to save and deploy changes regularly.
- ◆ If the TRITON console is open in multiple tabs of the same browser window, all instances share the same session. If the session times out in one tab, it times out in all tabs.
- ◆ If the TRITON console is open in multiple browser windows on the same computer, the instances, by default, share the same session.
If the session times out in one window, it times out in all windows.
- ◆ In the following instances, you can open multiple TRITON instances that do not share a session. In these situations, if one window times out, the others are not affected.
 - Use the File > New Session command to open a new Internet Explorer 8 or 9 window.
 - Use Internet Explorer to open one connection to the TRITON console, and then use Firefox or Chrome to open another connection.

If you close the browser without logging off of the TRITON console, or if the remote machine from which you are accessing a TRITON module shuts down unexpectedly, you may be temporarily locked out. Websense software typically detects this issue within about 2 minutes and ends the interrupted session, allowing you to log on again.

Navigating in the TRITON console

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

The TRITON Settings interface can be divided into 5 main areas:



1. Banner
2. TRITON toolbar
3. Module toolbar
4. Navigation pane
5. Content pane

The **banner** shows:

- ◆ Your current **logon account**
- ◆ A **Log Off** button, for when you're ready to end your administrative session

The **TRITON toolbar** indicates which module is active, and lets you launch other TRITON modules. It also provides access to **Help**, tutorials, the Technical Library, and other useful information.

When you log on to the TRITON console, the module you last accessed is active and the button for that module in the TRITON toolbar is yellow. Buttons for modules that are installed but not currently active are blue, and buttons for uninstalled modules are grey.

The **module toolbar** contains information and options relevant to the module that is currently active. If you are configuring TRITON settings or appliances, it contains your TRITON administrator permissions.

The **navigation pane** contains the available navigation choices for the TRITON module or TRITON configuration option that is currently selected. The **content pane** varies according to the selection in the navigation pane.

For more information about specific modules, see:

- ◆ [TRITON - Data Security Help](#)
- ◆ [TRITON - Email Security Help](#)
- ◆ [TRITON - Web Security Help](#)

Managing your account through the MyWebsense Portal

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Websense, Inc., maintains a customer portal at www.mywebsense.com that you can use to access product updates, patches and hotfixes, product news, evaluations, and technical support resources for your Websense software.

When you create an account, the account is associated with your Websense subscription key or keys. This helps to ensure your access to information, alerts, and patches relevant to your Websense product and version.

Multiple members of your organization can create MyWebsense logons associated with the same subscription key.

Websense technical support

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Technical information about Websense software and services is available 24 hours a day at support.websense.com, including:

- ◆ the latest release information
- ◆ the searchable Websense Knowledge Base
- ◆ Support forums
- ◆ Support Webinars
- ◆ show-me tutorials
- ◆ product documents
- ◆ answers to frequently asked questions
- ◆ Top Customer Issues
- ◆ in-depth technical papers

For additional questions, click the **Contact Support** tab at the top of the page.

If your issue is urgent, please call one of the offices listed below. You will be routed to the first available technician, who will gladly assist you.

For less urgent cases, use our online **Support Request Portal** at ask.websense.com.

For faster phone response, please use your **Support Account ID**, which you can find in the Profile section at [MyWebsense](#).

Location	Contact information
North America	+1-858-458-2940
France	Contact your Websense Reseller. If you cannot locate your Reseller: +33 (0) 1 5732 3227
Germany	Contact your Websense Reseller. If you cannot locate your Reseller: +49 (0) 69 517 09347
UK	Contact your Websense Reseller. If you cannot locate your Reseller: +44 (0) 20 3024 4401
Rest of Europe	Contact your Websense Reseller. If you cannot locate your Reseller: +44 (0) 20 3024 4401
Middle East	Contact your Websense Reseller. If you cannot locate your Reseller: +44 (0) 20 3024 4401
Africa	Contact your Websense Reseller. If you cannot locate your Reseller: +44 (0) 20 3024 4401
Australia/NZ	Contact your Websense Reseller. If you cannot locate your Reseller: +61 (0) 2 9414 0033
Asia	Contact your Websense Reseller. If you cannot locate your Reseller: +86 (10) 5884 4200
Latin America and Caribbean	+1-858-458-2940

For telephone requests, please have ready:

- ◆ Websense subscription key
- ◆ Access to the Websense management console.
- ◆ Access to the machine running reporting tools and the database server
- ◆ Familiarity with your network's architecture, or access to a specialist

2

Configuring TRITON Settings

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

The TRITON Unified Security Center helps you manage Web, data, and email security configuration, policies, and reporting from a central management console.

To facilitate this centralized management, Global Security Administrators (including the default **admin** account) can use **TRITON Settings** create and configure administrator accounts with:

- ◆ Full management access to all TRITON modules
- ◆ Full management access to a single TRITON module
- ◆ Limited access (for example, reporting-only access) to one or more TRITON modules

See [Introducing administrators](#), page 13.



Note

When you make changes to TRITON settings, it can take between 30 and 90 seconds for the changes to propagate to other TRITON modules. For example, if you create an administrator for TRITON - Data Security, it may take a minute or two for that administrator to appear in the Data Security module.

TRITON Settings can also be used to:

- ◆ View account information and change passwords. See [Viewing your account information](#), page 10.
- ◆ Set up a connection to a directory service to allow administrators to use their network accounts to log on to the TRITON console. See [Setting user directory information](#), page 10.
- ◆ Configure a connection to an SMTP server so that administrators can receive email notifications when they are granted access to the TRITON console or when their account changes. This also allows administrators to request a password reset, when needed. See [Setting email notifications](#), page 23.
- ◆ Configure two-factor authentication for administrators. See [Configuring certificate authentication](#), page 25.

- ◆ Audit administrator logon attempts and changes to TRITON Settings. See [Audit log](#), page 28.

Viewing your account information

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > My Account** page to view permissions information for your account, and to select a preferred language for viewing Help information.

If you have been assigned a local user name and password for the TRITON console, you can also change your password on this page.

If you log on to the TRITON console with network credentials, password changes are handled through your network directory service. Contact your system administrator for assistance.

The permissions allocated to your account are shown in the toolbar above the page:

- ◆ Global Security Administrator means you have full access to all TRITON console settings and all policy, reporting, and configuration settings in all of the modules that are part of your subscription. See [Global Security Administrator](#), page 13.
- ◆ If you do not have Global Security Administrator permissions, the TRITON modules you can access and manage are listed.

To change your password:

1. Enter your **Current password**.
2. Enter and confirm a **New password**.
 - The password must be between 4 and 40 characters.
 - Strong passwords are recommended: 8 characters or longer, including at least one uppercase letter, lowercase letter, number, and special character (such as hyphen, underscore, or blank).
3. Click **OK** to save your changes.

To select a language other than English as your preferred Help language, select an entry in the **Language** drop-down list. Note that not all Help pages are available in all languages. If a particular Help page is not available in the selected language, the English page is displayed.

Setting user directory information

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > User Directory** page to configure directory communication for administrators using their network accounts. The same directory must be used to authenticate all administrative users.

- ◆ A user directory stores information about a network's users and resources.
- ◆ To allow administrators to use their network accounts to log on to the TRITON Unified Security Center, you must configure the TRITON console to retrieve information from your user directory.



Note

User directory configuration for administrators is performed separately from directory service configuration for end users. Set up end user directory service configuration within each TRITON module.

The TRITON console can communicate with the following LDAP (Lightweight Directory Access Protocol) directories:

- ◆ Windows Active Directory (Native Mode)
- ◆ Novell eDirectory
- ◆ Oracle Directory Service
- ◆ Lotus Notes/Domino

It can also communicate with other generic LDAP-based directories.

Note that:

- ◆ Duplicate user names are not supported in an LDAP-based directory service. Ensure that the same user name does not appear in multiple domains.
- ◆ If you are using Windows Active Directory or Oracle Directory Service, user names with blank passwords are not supported. Make sure that all users have passwords assigned.

To enable administrators to log on to the TRITON console using a network account:

1. Select your user directory from the **User directory server** list.
2. Enter the **IP address or host name** to identify the directory server.
3. Enter the **Port** that Websense software should use to communicate with the directory.
4. Specify the **User distinguished name** and **Password** for the administrative account Websense software should use to retrieve user name and path information from the directory.
 - The account must be able to query and read from the directory, but does not need to be able to make changes to the directory, or be a domain administrator.
 - Enter the account details as a single string in the **User distinguished name** field. You can use the format "CN=user, DC=domain" or, if your organization uses Active Directory, "domain\username".
5. Click **Test Connection** to confirm that the directory exists at the specified IP address or name and port number, and that the specified account can connect to it.

6. Enter the **Root naming context** that the TRITON console should use to search for user information. This is required for generic LDAP directories, Lotus Notes/Domino, and Oracle Directory Service, and optional for Active Directory and Novell eDirectory. If you supply a value, it must be a valid context in your domain.

If the Root naming context field is left blank, Websense software begins searching at the top level of the directory service.

**Note**

Avoid having the same user name in multiple domains. If Websense software finds duplicate account names for a user, the user cannot be identified transparently.

7. If your LDAP schema includes nested groups, mark **Perform additional nested group search**.
8. To encrypt communication with the directory service, mark **Use SSL encryption**.
9. If your directory service uses LDAP referrals, indicate whether Websense software should follow the referrals.
10. If you have selected Generic Directory, also configure the following settings:
 - **Email attribute:** The attribute name used to locate a user's email address in LDAP entries. The default is **mail**.
 - **User logon ID attribute:** The attribute name used to locate a user's logon ID in LDAP entries.
 - **User logon filter:** The filter to apply when searching for user details at logon. This string must contain the **%uid** token, which is then replaced with the user name entered by the user when logging on.
 - **User lookup filter:** The filter used to find users for import on the Add Network Account page. You can enter **%query** in this field as a placeholder, and then click **Refine search** on the Add Network Account page to enter a new context for finding network users.
 - **Group object class** (optional): The LDAP object class that represents a group. The default is **group**.
 - **Group Properties:** Specify whether your directory schema uses the **memberOf** attribute. If it does, in the **Group attribute** field enter the attribute used to reference the groups that the user is a member of.
If it does not, in the **User group filter** field enter the query used to resolve groups containing the specific user. You can enter **%dn**, which will be replaced by the DN of the user.

11. Click **OK**.

**Note**

If you change your user directory settings at a later date, existing administrators become invalid unless you are pointing to an exact mirror of the user directory server. If the new server is not a mirror, you may not be able to distinguish between your new and existing users.

Introducing administrators

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Administrators can access the TRITON console to configure one or more security solutions, manage policies, generate reports, or perform some combination of these tasks. The specific permissions available depend on the type of administrator.

- ◆ Global Security Administrators have full access and management permissions in all available TRITON modules. See [Global Security Administrator](#), page 13.
- ◆ Other types of administrators have more restricted access to TRITON modules. An administrator may be given permission to manage or audit one or more TRITON modules using the same account. See [TRITON administrators](#), page 14.

You can identify administrators using their network logon credentials, or you can create accounts used only to access the TRITON console. See [Adding a network account](#), page 18, and [Adding a local account](#), page 16.

Global Security Administrator

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

A default Global Security Administrator role is created during installation, and the default user, **admin**, is assigned to this role. When you first log on with the password set during installation, you have full administrative access to all configuration settings in the TRITON console, and also the following permissions in the modules that are part of your subscription:

- ◆ **TRITON - Web Security:** Added to the Super Administrator role with unconditional permissions.
- ◆ **TRITON - Data Security:** Assigned Super Administrator permissions.
- ◆ **TRITON - Email Security:** Assigned Super Administrator permissions.

You also have full permissions to manage and transparently log on to all appliances registered with this instance of the TRITON console.

The permissions given to a Global Security Administrator within the individual TRITON modules cannot be modified.

The admin account does not appear in the list of administrators for the Super Administrator role. It cannot be deleted, and its permissions cannot be modified.

You can add further Global Security Administrators as needed. Creating multiple Global Security Administrators ensures that if the primary Global Security Administrator is not available, another administrator has access to all Websense policy and configuration settings.

TRITON administrators

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

TRITON administrators are given access to one or more TRITON modules (Web Security, Data Security, Email Security). They can also be granted access to the Mobile Security portal, one or more appliances registered to the TRITON console, and one or more Content Gateway Manager instances.

Administrators can be given **access** to one or more modules, or **access and account management** permissions. The permissions these administrators have in each module depend on how administrators are configured within the module. By default the following permissions are allocated:

- ◆ TRITON - Web Security
 - **Access:** the administrator is not added to any roles, and can only access the Status > Dashboard and Status > Alerts pages.
 - **Access and account management:** the administrator is added to the Super Administrator role with unconditional permissions.

Administrator permissions can be changed in TRITON - Web Security on the **Policy Management > Delegated Administration** page.

- ◆ TRITON - Data Security
 - **All options:** the administrator is assigned the Default access role, with access to the Incidents & Reports, Today, and My Settings pages.

Administrator permissions can be changed in TRITON - Data Security on the **Settings > General > Authorization > Administrators**, and **Settings > General > Authorization > Roles** pages.

- ◆ TRITON - Email Security
 - **Access:** the administrator is assigned the default Reporting permissions.
 - **Access and account management:** the administrator is assigned Super Administrator permissions by default.

Administrator permissions can be changed in TRITON - Email Security on the **Settings > General > Administrator Accounts** page.

For appliances, administrators can be given **full access** or **limited access** to the appliances registered in the TRITON console.

- ◆ Full access enables the administrator to register and unregister appliances, and to access appliances directly from the TRITON console. Access is via single sign-on if configured (see [Configuring an existing appliance for single sign-on](#), page 32).

- ◆ Limited access enables the administrator to access appliances, but not register or unregister them. Access can be to all appliances, including those added subsequently, or to specifically selected appliances.

Administrators with account management permissions can also edit and delete other administrators in the TRITON console, subject to the limitations of the permissions they have been allocated.

Administrators who log on to the TRITON console with a local user account can also change their own TRITON password (see [Viewing your account information, page 10](#)).

Once shared administrator accounts have been configured, an administrator logged on to one TRITON module (for example, TRITON - Web Security) can use the TRITON toolbar to switch to a different module (Data Security or Email Security) without needing to log on a second time.

Enabling access to the TRITON console

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Administrators** page to create and manage the accounts that administrators use to access the TRITON console.



Note

This page is available only to Global Security Administrators and administrators that have permission to manage at least one TRITON module.

In deployments that include a combination of Websense web, email, and data security solutions, administrator accounts can be given individual or joint access to the available TRITON modules.

Next to the User Name column, the Type column displays the type of each administrator account:

- ◆ **Local accounts** are created specifically for use within the TRITON console.
- ◆ **Network accounts** are accounts from a supported directory service that have been granted access to the TRITON console (see [Setting email notifications, page 23](#)).

To add an account, click either **Add Local Account** or **Add Network Account** (see [Adding a local account, page 16](#), and [Adding a network account, page 18](#)).

If an administrator account has an exclamation mark icon next to the name on this page, it is due to one or both of the following:

- ◆ The account does not have an email address associated with it. This means the administrator will not receive notifications of password changes or permission updates. Edit the administrator details to add an email address.

- ◆ The administrator permissions have been imported from Websense Data Security version 7.5 and Websense Web Security Gateway version 7.5 and unified within the TRITON console.

For example, if in v7.5 you had an administrator with Data Security Super Administrator permissions and Web Security Full Reporting permissions, that administrator is imported into the TRITON console with the following permissions:

- Data Security: access and account management permissions
- Web Security: access only
- Email Security: no access

You must edit the administrator account and confirm or change the allocated permissions. The administrator will not be able to log on until you do this.

If you are viewing this page as a TRITON administrator with permission to manage at least one TRITON module, you can manage and delete only administrator accounts for those modules.

Global Security Administrators can manage and delete any existing accounts. To delete an account, mark the check box next to the account name and click **Delete**.



Important

If you delete an administrator account, actions performed by this administrator will no longer appear in the Data Security incident history. To preserve administrator actions, it is recommended that you do not delete the account, but instead limit the administrator's role in TRITON - Data Security.

Adding a local account

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Related topics:

- ◆ [Enabling access to the TRITON console, page 15](#)
- ◆ [Adding a network account, page 18](#)
- ◆ [Editing a local account, page 20](#)

Use the **TRITON Settings > Administrators > Add Local Account** page to add Websense user accounts.

1. Enter a unique **User name**, up to 50 characters.
 - The name must be between 1 and 50 characters long, and cannot include any of the following characters:
* < > ' ` { } ~ ! \$ % & @ # . " | \ & + = ? / ; : , ^ ()

- User names can include spaces and dashes.
2. Enter a valid **Email address** for the user.
This email address is used to send account information to the new administrator.
 3. Enter and confirm a **Password** (4-255 characters) for this user.
Strong passwords are recommended: 8 characters or longer, including at least one each of the following:
 - uppercase letter
 - lowercase letter
 - number
 - special character (such as hyphen, underscore, or blank)



Note

If two-factor authentication is enabled and password authentication is disabled on the **TRITON Settings > Certificate Authentication** page, password logon is not available for the local account.

4. If two-factor authentication is enabled on the **TRITON Settings > Certificate Authentication** page:
 - a. Click **Certificate Authentication**.
 - b. Browse to the location of the certificate to use for administrator authentication for this account.
 - c. Click **Upload Certificate**.For more information, see [Configuring certificate authentication, page 25](#).
5. To create an administrator with full permissions across the TRITON console and all of the modules and appliances in your subscription, select **Global Security Administrator**.



Note

Only Global Security Administrators can create other Global Security Administrators.

6. To send account information and access instructions to the new administrator via email, mark **Notify administrator of the new account via email**.
To send administrator emails, you must set up SMTP details on the Notifications page. You can also customize the contents of the email message on the Notifications page (see [Setting email notifications, page 23](#)).
7. To require the administrator to change the account password the first time he or she logs on to the TRITON console, mark **Force administrator to create a new password at logon**.
8. If this account is not a Global Security Administrator, under **Module Access Permissions**, select the permissions you want to give to the new administrator.

- Choose a setting under each of the available options (**Web Security, Data Security, Email Security**) to give the new administrator permissions to manage one or more of the TRITON modules. The options available depend on the modules in your subscription.

For each module, choose whether the new administrator has:

- no access to that module
- only access to the module
- both access and the ability to manage other administrators in that module.

For more information see [TRITON administrators, page 14](#).



Note

You can assign access permissions only for the TRITON modules where you have management permissions.

- If your deployment includes one or more appliances, you can grant the administrator:
 - no appliance access
 - full access to all appliances
 - limited access to appliances

If you select limited access, indicate whether the administrator can access all appliances or only specified appliances.

9. When you are finished making changes, click **OK**.

Adding a network account

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Related topics:

- ◆ [Setting email notifications, page 23](#)
- ◆ [Adding a local account, page 16](#)
- ◆ [Editing a network account, page 22](#)

Use the **TRITON Settings > Administrators > Add Network Account** page to add users defined in a supported directory service as TRITON administrators.

Enter keywords to search on in the **Search** field to find the accounts that you want to add as TRITON administrators. Optionally, you can use the asterisk wildcard (*) as part of your search.

By default, the search context for your search is the default domain context from the Directory Service page (see [Setting email notifications, page 23](#)). You can edit this context by clicking **Refine search** and entering a new search context in the field that appears. You can revert to the default context by clicking **Restore default**.

If you are using Active Directory, for users the Email, Login Name, and Display Name fields in your selected context are searched. If you are using Novell eDirectory, Oracle Directory Service, or Lotus Notes/Domino, for users the Email, Display Name, Username, and Common Name (CN) fields are searched. For all directory services, the CN field is searched for groups.

The search results list both users and groups that match the specified keywords, and display both user name and email address for the network account. To add a user or group as an administrator, mark the check box next to the account name, and then click the right arrow (>) to add the account to the Selected accounts list.

To delete a user from the Selected accounts list, mark the check box next to the account name, and then click the left arrow (<).

If two-factor authentication is enabled on the **TRITON Settings > Certificate Authentication** page (see [Configuring certificate authentication, page 25](#)), click **Certificate Authentication** to upload or import the certificate used to authenticate the selected administrators during TRITON console logon.

- ◆ Click **Import from LDAP** to import the certificate from your user directory.
- ◆ Click **Upload Certificate** to browse to the location of the certificate and upload it.

When the certificate has been imported or uploaded successfully, the certificate name, expiration date, issuer, and source information are displayed in the Certificate Authentication area of the page.

Once you have added one or more accounts to the Selected accounts list, indicate whether to **Notify administrator of the new account via email**. To send administrator emails, you must set up SMTP details on the Notifications page. You can also customize the contents of the email message on the Notifications page (see [Setting email notifications, page 23](#)).

Next, select the access permissions you want to give to the new administrators.

- ◆ Select **Global Security Administrator** to create an administrator with full permissions across the TRITON console and all of the modules and appliances in your subscription.



Note

Only Global Security Administrators can create other Global Security Administrators.

- ◆ If the accounts are not Global Security Administrators, under **Module Access Permissions**, select the permissions you want to give to the new administrators.
 - Choose a setting under each of the available options (**Web Security, Data Security, Email Security**) to give the new administrator permissions to manage one or more of the TRITON modules. The options available depend on the modules in your subscription.

For each module, choose whether the new administrator has:

- no access to that module

- only access to the module
 - both access and the ability to manage other administrators in that module.
- For more information see [TRITON administrators](#), page 14.



Note

You can assign access permissions only for the TRITON modules where you have management permissions.

- If you have one or more appliances as part of your subscription, choose whether the new administrator has:
 - If your deployment includes one or more appliances, you can grant the administrator:
 - no appliance access
 - full access to all appliances
 - limited access to appliances
- If you select limited access, indicate whether the administrator can access all appliances or only specified appliances.

When you are done selecting administrator accounts, click **OK**.

Editing a local account

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Administrators > Edit Local Account** page to edit existing Websense user accounts.

1. To change the **User name**, enter a unique name up to 50 characters.
 - The name must be between 1 and 50 characters long, and cannot include any of the following characters:
* < > ' { } ~ ! \$ % & @ # . " | \ & + = ? / ; : ,
 - User names can include spaces and dashes.
2. To change the administrator **Email address**, enter a valid address for the user.
This email address is used to send account information to the administrator.
3. To reset the administrator's **Password**, enter and confirm a password (4-255 characters).
Strong passwords are recommended: 8 characters or longer, including at least one each of the following:
 - uppercase letter
 - lowercase letter
 - number

- special character (such as hyphen, underscore, or blank)

**Note**

If two-factor authentication is enabled and password authentication is disabled on the **TRITON Settings > Certificate Authentication** page, password logon is not available for the local account.

4. If two-factor authentication is enabled on the **TRITON Settings > Certificate Authentication** page:

- a. Click **Certificate Authentication**.
- b. Browse to the location of the certificate that the administrator will authenticate against when logging on to the TRITON console.
- c. Click **Upload Certificate**.

For more information, see [Configuring certificate authentication, page 25](#).

5. To give the administrator full permissions across the TRITON console and all of the modules and appliances in your subscription, select **Global Security Administrator**.

**Note**

Only Global Security Administrators can create other Global Security Administrators.

6. To send account update information to the administrator via email, mark **Notify administrator of the account changes via email**.
7. To require the administrator to change the account password the next time he or she logs on to the TRITON console, mark **Force administrator to create a new password at logon**.
8. If this is not a Global Security Administrator account, use the **Module Access Permissions** options to update permissions for the administrator.
 - Choose a setting under each of the available options (**Web Security, Data Security, Email Security**) to give the administrator permissions to manage one or more of the TRITON modules. The options available depend on the modules in your subscription.

For each module, choose whether the administrator has:

- no access to that module
- only access to the module
- both access and the ability to manage other administrators in that module.

For more information see [TRITON administrators, page 14](#).

**Note**

You can assign access permissions only for the TRITON modules where you have management permissions.

- If your deployment includes one or more appliances, you can grant the administrator:
 - no appliance access
 - full access to all appliances
 - limited access to appliances

If you select limited access, indicate whether the administrator can access all appliances or only specified appliances.

9. When you are finished making changes, click **OK**.

Editing a network account

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Administrators > Edit Network Account** page to edit the access and authentication permissions and for existing network accounts.

If two-factor authentication is enabled on the **TRITON Settings > Certificate Authentication** page (see [Configuring certificate authentication, page 25](#)), click **Certificate Authentication** to upload or import the certificate that the administrators will authenticate against when logging on to the TRITON console.

- ◆ Click **Import from LDAP** to import the certificate from your user directory.
- ◆ Click **Upload Certificate** to browse to the location of the certificate and upload it.

When the certificate has been imported or uploaded successfully, the certificate name, expiration date, issuer, and source information are displayed in the Certificate Authentication area of the page. Click **Import New from LDAP** to import a new certificate from your user directory, replacing the existing certificate.

Click **Remove Certificate** to delete the certificate from this network account. If you remove the certificate, this network account cannot use two-factor authentication.

To change the access permissions for the network account:

- ◆ Select **Global Security Administrator** to give the administrator full permissions across the TRITON console and all of the modules and appliances in your subscription.



Note

Only Global Security Administrators can create other Global Security Administrators.

- ◆ If this is not a Global Security Administrator account, use the **Module Access Permissions** options to update permissions for the administrator.
 - Choose a setting under each of the available options (**Web Security, Data Security, Email Security**) to give the administrator permissions to manage one or more of the TRITON modules. The options available depend on the modules in your subscription.

For each module, choose whether the administrator has:

- no access to that module
- only access to the module
- both access and the ability to manage other administrators in that module.

For more information see *TRITON administrators*, page 14.

**Note**

You can assign access permissions only for the TRITON modules where you have management permissions.

- If your deployment includes one or more appliances, you can grant the administrator:
 - no appliance access
 - full access to all appliances
 - limited access to appliances

If you select limited access, indicate whether the administrator can access all appliances or only specified appliances.

When you are done editing administrator permissions, click **OK**.

Setting email notifications

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Notifications** page to set up the SMTP server used for all email notifications from the TRITON console, and to configure the notification email messages sent to administrators.

**Note**

This page can be viewed and edited only by Global Security Administrators.

First, establish a connection with your SMTP server so that email notifications can be sent:

1. Enter the **IP address or host name** and **Port** of the SMTP server machine.
2. Enter the **Sender email address** to use in notifications.
3. Enter a **Sender name** to appear with the From email address. This is useful to make it clear to administrators that the email is related to the TRITON console.

Next, review the templates used for administrator notifications. There are 3 available templates:

- ◆ **New Account:** Notifies an administrator of their new TRITON account. Typically, this template includes the new logon name and password, and a summary of the permissions allocated to the administrator.

- ◆ **Edit Account:** Notifies an administrator of any changes to their TRITON account. Typically, this includes any information that might be changed and would need to be communicated to the administrator, such as their logon name, password, and permissions.
- ◆ **Forgot Your Password:** Confirms to an administrator who has clicked the “Forgot Your Password” link on the TRITON logon page that their password has been reset. Typically, this includes the temporary password and expiration details for that password.

Each template contains default text that you can use or modify, and includes some available variables. At the time the email is sent to the administrator, these variables are replaced either with user-specific data or with values configured elsewhere in the system. Variables are always surrounded by percentage symbols, such as %Username%.

To modify a notification message:

1. Select one of the Email Notification Templates tabs: New Account, Edit Account, or Forgot Your Password.
2. Enter a suitable subject header for the email message. For example, for a new account, you might use “Welcome to Websense TRITON” or “Your new TRITON console account.”
3. Modify the message body as required. To add a variable, click **Insert Variable** and select from the drop-down list:

Variable	Description
%TRITON URL%	The URL used to access the TRITON console.
%Username%	The administrator’s TRITON username.
%Password%	The administrator’s TRITON password. This may be the temporary password assigned to an administrator who used the “Forgot Your Password” link. This password is valid for 30 minutes; an administrator logging on during that time is prompted to enter a new password.
%Permissions%	The permissions allocated to the administrator.



Note

If you are using all or part of the default notification text, you can only include variables at the end of the default message.

4. To return to the default notification text at any time, click **Restore Default**, then click **OK** to confirm.

Configuring certificate authentication

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Certificate Authentication** page to manage the use of two-factor authentication for administrator logons.



Note

Only Global Security Administrators can access this page.

Two-factor authentication requires administrators to provide 2 forms of identification when logging on to the TRITON console (see [How does certificate authentication work?](#), page 26).

TRITON administrators can be granted single sign-on access to other Websense management consoles (Appliance Manager and Content Gateway Manager). To use this functionality with two-factor authentication:

- ◆ **Appliance Manager:** Set up single sign-on permissions for administrator accounts (see [Configuring an existing appliance for single sign-on](#), page 32).
- ◆ **Content Gateway Manager:** Disable password authentication for Content Gateway Manager (see “Configuring Content Gateway for two-factor authentication” in the Content Gateway Help).

To set up TRITON console certificate authentication:

1. Mark **Authenticate administrators using two-factor authentication**.
2. To enable attribute matching, mark **Use attribute matching as a fallback method** and select whether it applies to all administrators, or only administrators without certificates in the TRITON console.

To configure the attributes used for matching, click **Configure Attribute Matching**, then see [Setting up attribute matching](#), page 27.

3. To import certificates from your user directory for network administrators, click **Import Administrator Certificates**.

When certificates are successfully imported, a success message is displayed at the top of the page. If any of the certificates are not imported correctly, you can upload a certificate for each network administrator on the **TRITON Settings > Administrators > Edit Network Account** page.

4. Click **Add** under **Root Certificates** to add a root certificate for signature verification. There must be at least one root certificate in the TRITON console for two-factor authentication to operate.
5. Browse to the location of the root certificate file, then click **Upload Certificate**.
6. Whenever you add or change a root certificate, you must create a new master certificate file and copy that file to the Websense TRITON Web Server service. Click **Create Master Certificate File** to create the new file, then see [Deploying the master certificate file](#), page 27 for further information.

7. To enable password authentication as a fallback method, mark **Allow password authentication to log on to the TRITON console** and select whether it applies to all administrators, or only administrators without certificates in the TRITON console.



Note

The **admin** account created during installation can always log on from the TRITON Management Server machine using password-based authentication.

8. Click **OK**.

How does certificate authentication work?

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

When you enable two-factor authentication on the Certificate Authentication page, the logon process for an administrator accessing the TRITON console URL is as follows:

- ◆ The TRITON console detects whether a client certificate is installed. If more than one certificate is available, the administrator is asked to select the certificate that allows access to the console.
- ◆ The administrator provides their two-factor authentication credentials as defined by your organization. For example, this could be through the use of the Common Access Card (CAC) and a card reader.
- ◆ After successful authentication, the TRITON console receives the client certificate and checks that it matches the signature in the uploaded root CA certificates. If the signature matches, the TRITON console checks for a full match with the certificates that you have either uploaded to the TRITON console, or imported from your user directory. If a match is found, the administrator associated with the two-factor authentication credentials is logged on to the console.
- ◆ If no certificate match is found and you have set up attribute matching as a fallback option, a check is performed to see if the client certificate contains a property matching a specific LDAP attribute in your user directory. If a match is found, the administrator associated with the two-factor authentication credentials is logged on to the console.

If all configured certificate and attribute matching fails, or if the administrator does not have a client certificate, you can allow password authentication as a fallback option. If password authentication is disabled, administrators without matching certificates cannot log on.

Deploying the master certificate file

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

When you create a new master certificate file following changes to your certificate authentication root certificate, you must update the Websense TRITON Web Server service with the new file. To do this:

1. Go to the directory where you installed TRITON Unified Security Center (by default **C:\Program Files (X86)\Websense**), and access the **EIP Infra** directory.
2. Run the script file **replace_2fa_certificate.bat**.

The script file copies the new master certificate file that you have created to the Websense TRITON Web Server service, and then restarts the service.

Setting up attribute matching

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Certificate Authentication > Configure Attribute Matching** page to define the administrator LDAP property that matches against a property in the certificate provided.

1. Under **Administrator Property**, select the property from your user directory that will be used to match against the administrator's certificate. This can be:
 - The administrator **Email address** (local and network accounts)
 - **LDAP distinguished name** (network accounts only)
 - **User name** (local and network accounts)
 - A **Custom LDAP field** (network accounts only)



Note

If you are using a generic LDAP user directory, you must specify a custom field.

2. If you have defined a custom LDAP field, click **Verify Administrator Property** to confirm that the property exists in your user directory. Select a network administrator account to verify against.



Note

Verify Administrator Property is available only if you have configured your user directory in the TRITON console, and you have set up at least one network administrator account.

When you save the settings on this page, the custom property is imported for all applicable accounts (network only, or local and network accounts) in the TRITON console. If you need to change this field at a later date, click **Update Property** to import the new attribute matching value.

3. Under **Certificate Property**, select the property in the administrator's logon certificate to match against the LDAP property that you defined:
 - The email (RFC822) attribute of the subjectAltName field. Select this if you are matching against the administrator email address in your user directory
 - The Subject distinguished name, which defines the entity associated with this certificate
 - The unique serial number for each certificate issued by a particular Certification Authority (CA).
4. Click **OK**.
 The properties that you selected are displayed in the Certificate Matching area on the **TRITON Settings > Certificate Authentication** page.

Audit log

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **TRITON Settings > Audit Log** page to view actions performed by administrators in the system.



Note

Only Global Security Administrators can access this page.

By default, the displayed actions are sorted by date and time. If a filter is used, the number of displayed actions is shown at the top of the list.

Column	Description
ID	ID number of the action. You can quickly jump to an Audit Log action by entering the ID number in the Find ID field and clicking Find .
Date & Time	Date and time the action occurred.
Administrator	Name and user name of the administrator that initiated the action in the TRITON console.
Role	Role of the administrator.
Action Performed	Details of the action. This column may contain variables that are filled in by the system, for example a logon user name.

3

Accessing Appliances

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Websense, Inc., offers security appliances with an operating system optimized for analyzing Web and email traffic and content. If you have purchased an appliance-based solution, the TRITON console enables you to view details of and easily access multiple appliances.

For more information, see:

- ◆ [Managing appliances, page 29](#)
- ◆ [Registering an appliance, page 30](#)
- ◆ [Editing appliance details, page 31](#)
- ◆ [Configuring an existing appliance for single sign-on, page 32](#)

Managing appliances

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Use the **Appliances > Manage Appliances** page to review the Websense appliances registered (associated) with this TRITON console, register additional appliances, or unregister an appliance.

The following information is displayed for each registered appliance:

- ◆ IP address for interface C on the appliance
- ◆ Appliance hostname
- ◆ Security mode: Web Security, Email Security, or Web Security and Email Security
- ◆ Policy source mode (applies only to appliances that include Web Security): full policy source, user directory and filtering, or filtering only
- ◆ Description (can be edited on the System page in Appliance Manager)
- ◆ Websense software version (for example, 7.7.0)
- ◆ Hardware platform (for example, V5000 or V10000 G2)

Click the arrow next to the appliance IP address to expand the appliance information and see these details. Use the **Expand All** and **Collapse All** buttons to expand or collapse all appliance information.

If the details for an appliance include a Single Sign-On button, you can access that appliance without providing further logon credentials.

- ◆ To register an appliance with the TRITON console, see [Registering an appliance, page 30](#). New appliances can be configured for single sign-on when you add them to the TRITON console.
- ◆ To configure an existing appliance (for example, an appliance upgraded from a previous version) for single sign-on, see [Configuring an existing appliance for single sign-on, page 32](#).
- ◆ To access an appliance that is not configured for single-sign on, click the appliance's IP address. This opens a logon page in a new browser. Enter your Appliance Manager logon credentials.

Registering an appliance

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

To register a new appliance with the TRITON console:

1. Click **Register Appliance**.
2. Enter the IP address for network interface C on the appliance.
3. To configure single sign-on from this TRITON console to the appliance, mark **Enable single sign-on from the TRITON console**.
4. Enter the administrator password for the appliance.
5. To specify TRITON administrators who have single sign-on permissions for this appliance, click **User Permissions**.
6. To give an administrator single sign-on permissions, mark the check box next to the user name in the Available users list, and then click the right arrow (>) to add the administrator to the Users with access list.



Note

Global Security Administrators and administrators with full appliance access are greyed out in the Users with access list, because they have single sign-on access by default, and this cannot be changed.

7. Click **Save**.

If successful, an Appliance Details popup appears confirming the appliance has been added to the TRITON console, and displaying information retrieved from the appliance.

An appliance can only be configured for single sign-on from one TRITON Management Server. If another TRITON instance has already registered an appliance with single sign-on, an error message appears. Select **Transfer registration** to transfer the single sign-on to this instance of the TRITON console, or select **Register without Single Sign-On** to register the appliance and preserve single sign-on configuration on the other TRITON Management Server.

8. To add further appliances, click **Add Another Appliance** and repeat steps 2 to 7 above. If you are finished adding appliances, click **Done**.

If the TRITON console cannot connect to the IP address that you enter, ensure:

- ◆ The IP address you entered is the correct one for the appliance's C interface
- ◆ The appliance and appliance manager are both running
- ◆ The system clock on the TRITON console machine matches the clock on the appliance to within 1 minute

To refresh the information for an appliance, expand the appliance information and click **Refresh Details**. To refresh all of the appliance information on this page, click **Refresh All Appliances**.

To remove an appliance from the list, expand the appliance information and click **Unregister**, then click **Yes** to confirm.

Editing appliance details

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

To edit an appliance's IP address:

1. Click the arrow next to the current appliance IP address to expand the appliance information.
2. Click the icon to the right of the current IP address.
3. Enter the new IP address for network interface C on the appliance.
4. Click **Save**.

If the TRITON console cannot connect to the IP address that you enter, ensure:

- ◆ The IP address you entered is the correct one for the appliance's C interface
- ◆ The appliance and appliance manager are both running
- ◆ The system clock on the TRITON console machine matches the clock on the appliance to within 1 minute

To change the list of administrators who can access the appliance with single sign-on:

1. Click the arrow next to the current appliance IP address to expand the appliance information.
2. Click the Edit single sign-on user permissions icon in the top right corner of the appliance information pane.
3. To give an administrator single sign-on permissions, mark the check box next to the user name in the Available users list, and then click the right arrow (>) to add the administrator to the Users with access list.

4. To remove single sign-on permissions from an administrator, mark the check box next to the user name in the Users with access list, and then click the left arrow (<) to add the administrator to the Available users list.



Note

Global Security Administrators and administrators with full appliance access are greyed out in the Users with access list, because they have single sign-on access by default, and this cannot be changed.

5. Click **Save**.

Configuring an existing appliance for single sign-on

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

1. Click **Configure single sign-on** for the appliance you want to edit.
2. Mark **Enable single sign-on from the TRITON console**.
3. Enter the administrator password for the appliance.
4. To specify TRITON administrators who have single sign-on permissions for this appliance, click **User Permissions**.
5. To give an administrator single sign-on permissions, mark the check box next to the user name in the Available users list, and then click the right arrow (>) to add the administrator to the Users with access list.



Note

Global Security Administrators and administrators with full appliance access are greyed out in the Users with access list, because they have single sign-on access by default, and this cannot be changed.

6. Click **Save**.

An appliance can only be configured for single sign-on from one TRITON Management Server. If another TRITON instance has already registered an appliance with single sign-on, an error message appears. Select **Transfer registration** to transfer the single sign-on to this instance of the TRITON console, or select **Register without Single Sign-On** to register the appliance and preserve single sign-on configuration on the other TRITON Management Server.

4

Backup and Restore of TRITON Data

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

You can back up your TRITON Unified Security Center settings and system data on your TRITON Management Server machine, and revert to a previous configuration if required. Data saved by the backup process can also be used to import Websense configuration information after an upgrade, and to transfer configuration settings to a different TRITON Management Server machine.



Important

Make sure that all administrators log off of the TRITON Unified Security Center before you back up or restore your configuration.

The backup process saves:

- ◆ Global configuration and infrastructure information, including administrator and appliance data, stored in the TRITON Settings Database.
- ◆ Certificate files required for the TRITON browser components.

The backup process works as follows:

1. You initiate an immediate backup (see [Running immediate backups, page 35](#)) or define a backup schedule (see [Scheduling TRITON infrastructure backups, page 34](#)).
 - Manually launch a backup at any time.
 - Backup files are stored in the **C:\EIPBackup** directory by default. To change the backup file location, see [Changing backup settings, page 36](#).
2. The backup process checks all Websense components on the machine, collects the data eligible for backup, and creates a new folder in the EIPBackup directory with the format:

mm-dd-yyyy-hh-mm-ss-PP

This format represents the date and time of the backup, for example:

02-10-2011-10-45-30-PM

Each backup folder contains a number of files, including:

- EIP.db: a standard PostgreSQL backup file.

- httpd-data.txt: contains embedded certificate information and encryption keys
- backup.txt: created if the backup completes successfully
- DataBackup.log: a detailed log file containing information generated during backup

These files should be part of your organization's regular backup procedures.

To check that a backup completed successfully, navigate to the **C:\Program Files (X86)\Websense\EIP Infra** directory and open the **EIPBackup.log** file in a text editor such as Notepad. The log information should look similar to this:

```
2/15/2011 2:27:42 AM --- Backing up to: C:\EIPBackup\2-15-2011-2-27-42-AM
2/15/2011 2:27:42 AM --- Backing Up Certificates ...
2/15/2011 2:27:42 AM --- Backing Up PostgreSQL ...
2/15/2011 2:27:42 AM *** BACKUP FINISHED ***
```

Each TRITON module has its own backup and restore process for the module system settings:

- ◆ For TRITON - Data Security, see [Backing up the system](#) in TRITON - Data Security Help.
- ◆ For TRITON - Email Security, see [Backing up and restoring management server settings](#) in TRITON - Email Security Help.
- ◆ For TRITON - Web Security, see [Backing up and restoring your Websense data](#) in TRITON - Web Security Help.

You should run TRITON infrastructure backups in synchronization with TRITON - Web Security backups. See [Synchronizing TRITON infrastructure and TRITON - Web Security backups](#), page 37.

Scheduling TRITON infrastructure backups

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

When you installed the TRITON Unified Security Center, a scheduled task for backups was created. By default this task is disabled.

Notify Websense administrators of the backup schedule, so that they can be sure to log off of the TRITON Unified Security Center during the backup process.

All backups are “hot”—that is, they do not interfere with system operation. However, Websense recommends that you schedule backups when the system isn't under significant load.

To schedule backups on Windows Server 2008:

1. On the TRITON Management Server, go to **Start > Administrative Tools > Task Scheduler**.
2. In the Task Scheduler window, select **Task Scheduler Library**.

3. Right-click the **Triton Backup** task and select **Enable**.
4. Right-click **Triton Backup** again and select **Properties**.
5. Select the **Triggers** tab.
6. Click **Edit**, and edit the schedule as required. By default, the task is scheduled to run weekly on Saturdays at midnight.
7. Click **OK** twice.
8. If requested, enter your administrator password for the TRITON Management Server machine to confirm the changes to the task.

Running immediate backups

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

Before running a manual backup, make sure that all administrators are logged out of the TRITON Unified Security Center.

To launch an immediate backup:

1. On the TRITON Management Server, go to **Start > Administrative Tools > Task Scheduler**.
2. In the Task Scheduler window, select **Task Scheduler Library**.
3. If the **Triton Backup** task is disabled, right-click the task and select **Enable**.
4. Right-click the **Triton Backup** task and select **Run**.

Restoring TRITON infrastructure backup data

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

You can activate the restore operation from the TRITON Infrastructure Modify wizard. Make sure that all administrators are logged off of the TRITON Unified Security Center.

Before starting the restore process, it is recommended that you stop the TRITON Unified Security Center service.

To restore TRITON infrastructure data:

1. On the TRITON Management Server, go to **Start > Administrative Tools > Services**.
2. Right-click the **Websense TRITON Unified Security Center** service and select **Stop**.
3. Open the Windows Control Panel and select **Programs > Programs and Features**.
4. Select **Websense TRITON Infrastructure**.
5. Click **Uninstall/Change**.

- When asked if you want to add, remove, or modify the TRITON Infrastructure, select **Modify**.
- Click **Next** until you get to the **Restore Data from Backup** screen.
- Select **Use backup data**, then click **Browse** to locate the backup folder.
- Click **Next** until you begin the restore process.
- Click **Finish** to complete the restore wizard.
- Go back to the Services window and click **Refresh**. If the Websense TRITON Unified Security Center service has not restarted, right-click it and select **Start**.

Once the restore process is complete, a file named **DataRestore.log** is created in the date-stamped backup folder that was used for the restore.

Changing backup settings

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

When you run your first backup, an **EIPBackup** directory is created to contain the date-stamped folders for each set of backup files. By default this directory is created in C:\. You can change this location, and also define how many old backups are kept in the backup directory.

To change the settings for the backup files:

- On the TRITON Management Server, navigate to the **C:\Program Files (X86)\WebSense\EIP Infra** directory.
- Open **EIPBackup.xml** in a text editor such as Notepad.

This file contains the following parameters:

Parameter	Description
NUM_OF_COPIES	The number of old backups to store in the backup directory. Defaults to 5.
PATH	The location of the EIPBackup directory. Defaults to C:\.
DOMAIN	Only required if the <PATH> parameter is set to access a remote machine and you need to supply credentials in the form domain\user to write to the location. Leave this field blank if you have defined a path on the local machine, or if you have entered credentials in <USER_NAME>.

Parameter	Description
USER_NAME	Only required if the <PATH> parameter is set to access a remote machine and you need to supply a user name to write to the location. Leave this field blank if you have defined a path on the local machine, or if you have entered credentials in <DOMAIN>.
PASSWORD	Only required if the <PATH> parameter is set to access a remote machine and you have entered credentials in either <DOMAIN> or <USER_NAME>. Passwords are stored as plain text.

3. Edit the <NUM_OF_COPIES> parameter to specify the number of old backups that should be kept. Once this number is reached, the oldest backup is deleted when the next backup is run.
4. Edit the <PATH> parameter to define the location of the backup files. The location must exist already as the backup process will not create it. For example, if you set the parameter to a location on the TRITON Management Server machine, such as:

```
<PATH>D:\TRITON\Backups</PATH>
```

the backup files will be stored in D:\TRITON\Backups\EIPBackup.

You can also set the location to be another machine on your network, for example:

```
<PATH>//server01/backups</PATH>
```

If you do this, you may also need to enter credentials for access to the remote machine in the <USER_NAME> or <DOMAIN>, and <PASSWORD> parameters. This is not recommended as the password is stored as plain text and could therefore be accessed by other users. Instead, it is recommended that you store the backups in a location to which you have write access without needing credentials.



Note

If you change the location of the backup files, older backup files are deleted only from the new location. Manage backup files in any previously-defined locations manually.

5. Save the file when done. Changes take effect when the next backup is run.

Synchronizing TRITON infrastructure and TRITON - Web Security backups

TRITON Console Help | Web, Data, and Email Security Solutions | v7.7

If you have the TRITON - Web Security module, administrator information, including permissions and local administrators' passwords, is stored in both the TRITON Settings Database and the TRITON - Web Security Policy Database. This is because

the administrators defined on the **TRITON Settings > Administrators** page can then be assigned roles in TRITON - Web Security, and different privileges within those roles.

To ensure that this information is kept in sync, always back up and restore TRITON - Web Security and the TRITON infrastructure at the same time. The steps in this section describe the TRITON infrastructure backup followed by the TRITON - Web Security backup; however, the order in which you run the two processes does not matter, as long as there are no changes made in the TRITON Unified Security Center for the duration of both backups.

To run a combined TRITON - Web Security and TRITON Infrastructure manual backup:

1. Follow the instructions in [Running immediate backups, page 35](#).
2. Open a command prompt and navigate to the Websense **bin** directory (by default C:\Program Files (X86)\Websense\Web Security\bin).
3. Enter the following command:

```
wsbackup -b -d <directory>
```

Here, *directory* indicates the destination directory for the TRITON - Web Security backup archive.

To schedule a combined TRITON - Web Security and TRITON Infrastructure backup, set the schedule time and frequency to ensure the backups are always synchronized. Follow the instructions in [Scheduling TRITON infrastructure backups, page 34](#), then see “Scheduling backups” in TRITON - Web Security Help.

To run a combined TRITON - Web Security and TRITON Infrastructure restore:

1. On the TRITON Management Server, go to **Start > Administrative Tools > Services**.
2. Right-click the **Websense TRITON Unified Security Center** service and select **Stop**.
3. Right-click the **Websense TRITON - Web Security** service and select **Stop**.
4. Follow the TRITON Infrastructure restore process in [Restoring TRITON infrastructure backup data, page 35](#).
5. Run the backup utility in restore mode, as described in “Restoring your Websense data” in TRITON - Web Security Help. Ensure the backup file you specify has the same date as the TRITON infrastructure backup file.
6. Go back to the Services window and click **Refresh**. If the TRITON - Web Security service has not restarted, right-click it and select **Start**.

Index

A

- accessing TRITON Unified Security Center, 2
- account information
 - configuring, 10
- account permissions
 - viewing, 10
- Add Local Account page, 16
- Add Network Account page, 18
- adding an appliance, 30
- admin, 3, 13
 - password, 13
- administrator access
 - admin, 3
- administrator certificates
 - importing for two-factor authentication, 25
- administrators
 - overview, 13
- Adobe Flash Player, 3
- appliances
 - logging on, 30
 - managing, 29
 - refreshing information, 31
 - registering, 30
 - single sign-on, 30, 32
 - troubleshooting, 31
- attribute matching
 - configuring, 27
 - enabling, 25
- audit logging, 28
- Authentication Gateway
 - allowing password authentication, 26
 - configuring attribute matching, 27
 - deploying the master certificate file, 27

B

- backing up TRITON data, 33
- backups
 - changing settings, 36
 - running manual, 35
 - scheduling, 34

- synchronizing with TRITON - Web Security, 38

C

- Certificate Authentication
 - configuring, 25
- certificate error, 4
- changing password, 10
- contacting technical support, 7
- customer support, 7

D

- default user, 13

E

- Edit Local Account page, 20
- email notifications, 23

F

- Flash Player, 3

G

- Global Security Administrator
 - adding multiple, 14
 - overview, 13

L

- launching TRITON Unified Security Center, 2
- local user accounts, 15
 - adding, 16
 - editing, 20
 - password, 10, 15
- locating product information, 7
- logging on, 3
 - appliance, 30
 - Windows 7, 3

M

- manual backups, 35
- master certificate file
 - deploying, 27

module toolbar, 6
MyWebsense portal, 7

N

navigating TRITON Unified Security Center, 6
network accounts
 adding, 18
 editing, 22
notifications
 configuring, 23
 templates, 23

P

password
 admin, 13
 changing, 10
 local user, 10, 15
patches, 7
permissions, 14
 configuring, 17, 19, 21, 22
 editing, 22
 TRITON - Data Security default, 14
 TRITON - Email Security default, 14
 TRITON - Web Security default, 14
 viewing, 10

R

register new appliance, 30
restore process
 running, 35
 synchronizing with TRITON - Web Security, 38
restoring TRITON data, 33
running the restore process, 35
running TRITON Unified Security Center, 2

S

scheduling backups, 34
security certificate alerts, 4
session timeout, 5
settings
 Administrators, 15
 backup, 36
 My Account, 10
 Notifications, 23

 User Directory, 10
single sign-on
 configure existing appliance, 32
 editing permissions, 31
 enabling for new appliance, 30
 transferring from another appliance, 30
subscriptions
 MyWebsense portal, 7
synchronized TRITON and Web Security
 backups, 38

T

technical support, 7
templates
 modifying, 24
toolbar
 module, 6
 TRITON, 6
TRITON administrator
 overview, 14
 permissions, 14
TRITON settings
 Administrators, 15
 Audit Log, 28
 Certificate Authentication, 25
 defined, 9
 My Account, 10
 Notifications, 23
 User Directory, 10
TRITON toolbar, 6
TRITON Unified Security Center
 administrator access, 15
 appliance details, 29
 launching, 2
 logging on, 3
 navigation, 6
 session timeouts, 5
 Websense banner, 6
two-factor authentication
 allowing password authentication, 26
 configuring, 25
 configuring attribute matching, 27
 deploying the master certificate file, 27
 importing certificates, 25

U

user accounts

- adding local, 16
- adding network, 18
- admin, 13
- editing local, 20
- editing network, 22
- local, 15
- network, 15

- password, 10, 15

user directory services

- configuring, 11

W

Websense user accounts, 15

- admin, 3

Windows 7, 3

